

**DECLARATION OF PERFORMANCE**  
**No. PS - BIOPASTER DECOR**

1. Unique identification code of the product-type: **BIOPASTER DECOR**
2. Intended use/es: **Factory-made, water-based organic render/plaster, for internal and external use on walls, ceiling, columns and partitions.**
3. Manufacturer: **EAGLE S.A. / AETOS A.E.**  
**INDUSTRIAL, COMMERCIAL & TRANSPORT COMPANY**  
**BRANCH: BUILDING PRODUCTS PRODUCTION PLANT "MARMODOM"**  
**INDUSTRIAL PARK OF PROSOTSANI, GR 66200 DRAMA, GREECE.**
4. System/s of AVCP: **System 4**
5. Harmonised standard: **EN 15824:2017**  
Notified body/ies: **No tasks for the notified body**

6. Declared performance/s:

Essential characteristics	Performance	Harmonised Technical Specification
<b>Reaction to Fire:</b>	Class B - s2, d0	EN 15824:2017
<b>Adhesion:</b>	≥ 0.5 MPa	
<b>Water absorption:</b>	W <sub>2</sub>	
<b>Water vapour permeability:</b>	V <sub>1</sub>	
<b>Thermal conductivity λ<sub>10, dry</sub>:</b>	0.65 W/m*K (tabulated mean value, P=50%)	
<b>Release of dangerous substances:</b>	See SDS	

Appropriate Technical Documentation: included, as long as needed, in the technical dossier stored by the manufacturer. Reaction to fire class declared without the need for testing according to the Commission Delegated Regulation (EU) 2017/1228 dated 20.03.2017 and following amendments.

Maximum organic content  $\leq 9.0$  % in weight.

Maximum mass per unit area  $\leq 4.0$  kg/m<sup>2</sup>

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Athanasios Lazaridis  
Q.C. / R&D Manager



At: Prosotsani, Drama, Greece

on 01/11/22

**REACH information:** the information referred to Article 31 or, as appropriate, to Article 33 of the REACH Regulation (EC) no. 1907/2006 and following amendments are indicated in the safety data.

<b>CE</b>	
<b>10</b>	
<b>EAGLE S.A. / AETOS A.E.</b> <b>INDUSTRIAL, COMMERCIAL &amp; TRANSPORT COMPANY</b> <b>BRANCH: BUILDING PRODUCTS PRODUCTION PLANT "MARMODOM"</b> <b>Industrial park of Prosotsani, 66200 Drama, Greece</b>	
DoP No.: <b>PS - BIOPLASTER DECOR</b> <b>EN 15824</b>	
<b>BIOPLASTER DECOR</b> Factory-made, water-based organic render/plaster, for internal and external use on walls, ceiling, columns and partitions.	
<b>Reaction to Fire:</b>	Class B - s2, d0
<b>Adhesion:</b>	≥ 0.5 MPa
<b>Water absorption:</b>	W <sub>2</sub>
<b>Water vapour permeability:</b>	V <sub>1</sub>
<b>Thermal conductivity <math>\lambda_{10, dry}</math>:</b>	0.65 W/m*K (tabulated mean value, P=50%)
<b>Release of dangerous substances:</b>	See SDS